

ALLEGANY COUNTY DEPARTMENT OF
PUBLIC WORKS

7 Court Street, Room 210
Belmont, New York 14813
Telephone: 585-268-9230 Fax: 585-268-9648

NOTICE TO BIDDERS

The Allegany County Department of Public Works will receive sealed bids until 10:00 a.m. March 16, 2010. At that time, bids will be opened in Room 221, County Office Building, Belmont, New York on the following items:

1. Culvert Pipe & Bands
2. **Galvanized Corrugated Steel Beam Guide Rail, Posts, Block-Outs, and Back-Up Plates**
3. Steel
4. Washed Crushed Gravel- Crushed Limestone
5. Highway Signs, Blanks and Posts
6. Bituminous Materials
7. 1311 Calcium Chloride
8. Crushed Gravel, Screened & Bank Run Gravel
9. Stone Fill (Rip Rap)
10. Ready Mix Concrete, Flowable Fill, and Concrete Blocks
11. Sand and Salt Mix
12. Rust Preventative Paint
13. Equipment Rental
14. Fiber Reinforced Bituminous Membrane Surface Treatment
15. Vegetation Control

Specifications for the above listed items may be obtained on the Internet: Allegany County Website at www.alleganyco.com; click on Public Works Department. They are also available at the Office of the Superintendent of Public Works, Room 210, County Office Building, Belmont, New York.

The Allegany County Department of Public Works reserves the right to reject any or all bids and to accept the bid it determines to be in the best interest of Allegany County.

Upon mutual agreement of the parties, Allegany County reserves the right to renew our contract (s) awarded as a result of this bid for an additional one (1) year period by resolution of the Public Works Committee of the Allegany County Board of Legislators in accordance with the specifications and NYS GML 103 and 104b.

David S. Roeske
Superintendent
Allegany County
Department of Public Works

DIRECTIONS FOR BID SUBMISSION

1. On envelope containing sealed bid:
 - a. Print your company's name in the upper left corner:
 - b. In lower left corner print:
Sealed bid March 16, 2010
Description of item:
Item No:

EACH BID SHOULD BE PLACED IN SEPARATE ENVELOPES

2. Bid Bond or Cashier's Check as required, shall be made payable to Allegany County Department of Public Works.
3. Non-Collusive Bidding Certification shall accompany each bid.
4. The Allegany County Department of Public Works will receive sealed bids until 10:00 a.m. March 16, 2010. At that time bids will be opened in Room 221, County Office Building, Belmont, New York.
5. Specifications may be obtained on the Internet: Allegany County Website at www.alleganyco.com; click on Public Works Department. They are also available at the Office of Superintendent of Public Works, Room 210, County Office Building, Belmont, New York.
6. To be considered formal, bids must be submitted on enclosed bid submission sheets and be typewritten or written in ink. Any changes made should be initialed by an authorized party.
7. All bids shall remain open for 45 days after opening, unless hereinafter modified.

INFORMATION FOR BIDDERS

All bids to be received by Allegany County Department of Public Works by 10:00 a.m., March 16, 2010. At that time bids will be opened in Room 221, County Office Building, Belmont, New York. The Allegany County Department of Public Works reserves the right to reject any or all bids and to accept the bid it determines to be in the best interest of Allegany County. All bid prices submitted shall be effective from date of bid award through May 1st, 2011.

All bidders must submit a Bid Bond or Certified Check in the amount of Five Hundred Dollars (\$500.00) payable to Allegany County Department of Public Works with their bid. Bid Bond or Certified Check will be refunded to unsuccessful bidders. The successful bidder(s) will be issued a notice of intent to award and will be required to submit a Performance Bond in the amount of Five Thousand Dollars (\$ 5,000.00) effective until May 1st, 2011, within three weeks of the date of receipt of the notice of intent. Upon receipt of the Performance Bond or Certified Check the successful bidder(s) will be issued a Notice of Award. The Bid Bond will be returned with the Notice of Award. The Performance Bond will be released upon completion of work and acceptance by the Superintendent of Public Works.

It is understood and agreed that any Town, Village, School District or Fire District within Allegany County may also participate in this contract pursuant to Section 103, General Municipal Law. If the contract bidder sells a certain quantity of the bid items at a price below the Allegany County contract price to a political subdivision of Allegany County, the price to Allegany County must be reduced to the lower amount.

A non-collusive bidding certificate must accompany all bids. All bids must be submitted on County provided bid sheets. Failure to provide a non-collusive bidding certificate or to submit a bid on the County provided form shall be cause for the bid to be rejected.

The Allegany County Department of Public Works reserves the right to reject any or all bids and to accept the bid it determines to be in the best interest of Allegany County.

All invoices of orders received shall be sent to the following address:

Allegany County Department of Public Works
7 Court Street, Room 210
Belmont, NY 14813-1078

Under no circumstances shall an invoice be sent to the address of delivery unless that address is the same as above.

All orders and invoices shall document the billing address and the delivery address as the majority of orders shall be different.

INFORMATION FOR BIDDERS AND CONDITIONS AND REQUIREMENTS APPLICABLE TO ALL BIDS AND AWARDS

By submitting a bid the bidder certifies and agree as follows:

1. that it will maintain normal business hours during the time in which the material bid will be needed by the County. Bidders agree that normal business hours shall mean 8:00 AM to 4:00PM. Bidders also acknowledge and agree that on some occasions it may be necessary to remain open before or beyond normal business hours in order to provide the County with the material bid.
2. that all materials proposed or materials supplied by the bidder to the County shall conform to the requirements set forth in Standard Specifications, Construction and Materials manual published by the New York State Department of Transportation, Office of Engineering, January 2, 1990 (English measurement not metric) or to any other standard or standards for such materials or sources of materials specifically set forth in these specifications. If the materials bid or the source of the materials bid are subject to certification or approval by the New York State Department of Transportation for materials or sources of materials which are purchased by the State of New York, the bidder certifies that the materials bid or proposed and/or the source of such materials are currently approved and/or certified by the New York State Department of Transportation for use by the State of New York and the bidder shall furnish with his bid proof of such current approval or certification.
3. that the Superintendent of Public Works may order tests of the materials proposed by a bidder or supplied by a successful bidder, at any time, and that the costs of such testing shall be the responsibility of the bidder and/or successful bidder as the case may be. That the bidder and/or the successful bidder agrees to pay the costs of any such tests when presented with an invoice by the Superintendent of Public Works or by the testing entity.

ALLEGANY COUNTY DEPARTMENT OF PUBLIC WORKS
BIDDING SPECIFICATIONS FOR GALVANIZED GUIDE RAIL,
POSTS, CONCRETE ANCHORS, AND HARDWARE

The intent of these specifications is to describe the requirements of the Allegany County Department of Public Works for new galvanized guide rail, galvanized posts, and hardware through May 1, 2011.

All items bid upon, including bolts and hardware, must conform with New York State Department of Transportation Standard Specifications for materials requirements.

GALVANIZED CORRUGATED BEAM GUIDE RAILING

Railing shall be 12 gauge galvanized steel "W" beam or galvanized corrugated "Thrie" Beam, 12'6" center to center in length and in accordance with New York State Department of Transportation Standard Specification 710-20 or AASHTO M180-89. Sections are as follows: straight, 10' radius, 20' radius, 30' radius, 40' radius and 50' radius. **All curved sections shall have the radius of curvature stamped into the base metal.**

GALVANIZED POSTS (HEAVY POST)

Posts shall be W6 x 8.5# x 5'6" long, galvanized (heavy post), and in accordance with New York State Department of Transportation Standard Specification 710-20.

GALVANIZED POSTS (SOIL PLATE)

Posts shall be W6 x 8.5# x 5'6" long with 8" x 24" soil plate (heavy post), and in accordance with New York State Department of Transportation Standard Specifications 710-20.

BLOCK OUTS

Shall be galvanized, W6 x 8.5# x 14" long or W6 x 8.5# x 22" long.

BACK UP PLATES

Shall be 12 gauge galvanized steel "W" shape, 12" long x 1 1/4" wide.

TERMINAL SECTIONS

Shall be 12 gauge-galvanized steel in accordance with New York State Department of Transportation standard Specifications 710-20.

TRANSITION CONNECTORS

Shall be 12 gauge-galvanized steel to connect the "Thrie" beam guide rail to the "W" beam guide rail, including bolts and hardware.

GALVANIZED BOX BEAM GUIDE RAILING 18'-0" TOTAL LENGTH

Railing shall be in accordance with New York State Department of Transportation Standard Specification 710-21. Sections are as follows: straight, 10' radius, 20' radius, 30' radius, 40' radius and 50' radius. **All curved sections shall have the radius of curvature stamped into the base metal.**

GALVANIZED BOX BEAM GUIDE RAILING END SECTIONS

Type I and Type II End Assemblies shall be in accordance with New York State Department of Transportation Standard Specification 710-21 and Standard Sheet M606-3. The unit price bid for each end assembly shall include the cost of furnishing all materials necessary to complete the installation, including the necessary splice plates, bolts and hardware.

GALVANIZED POSTS (WEAK POSTS)

Posts shall be S3 x 5.7# x 5'6" long in accordance with New York State Department of Transportation Standard Specification 710-21.

CONCRETE ANCHORS

Concrete anchors shall be in accordance with New York State Department of Transportation Standard Specification Item #606.22 for corrugated beam application.

Bid price shall include all necessary assembly bolts and hardware. Bid price to be F.O.B. Allegany County Department of Public Works, Friendship, New York.

Delivery shall be made within (20) twenty days of date of order. Late deliveries made without the consent of the Department could result in the cancellation of this contract.

**ALLEGANY COUNTY DEPARTMENT OF PUBLIC WORKS
 BID PROPOSAL FOR GALVANIZED GUIDE RAIL,
 POSTS, CONCRETE ANCHORS AND HARDWARE
 March 16, 2010**

Galvanized "W" Beam Guide Rail: 12 Gauge, 12'6" center to center including bolts and hardware	(NEW) PRICE EACH	(USED) PRICE EACH
Straight.....	\$ _____	\$ _____
10' Radius.....	\$ _____	\$ _____
20' Radius.....	\$ _____	\$ _____
30' Radius.....	\$ _____	\$ _____
40' Radius.....	\$ _____	\$ _____
50' Radius.....	\$ _____	\$ _____

Galvanized "Thrie" Beam Guide Rail: 12 gauge, 12'6" center to center including bolts and hardware	(NEW) PRICE EACH	(USED) PRICE EACH
Straight.....	\$ _____	\$ _____
10' Radius.....	\$ _____	\$ _____
20' Radius.....	\$ _____	\$ _____
30' Radius.....	\$ _____	\$ _____
40' Radius.....	\$ _____	\$ _____
50' Radius.....	\$ _____	\$ _____

6" x 6" x 3/8" Galvanized Box Beam Railing: 18'-0" SECTIONS	(NEW) PRICE EACH	(USED) PRICE EACH
Straight	\$ _____	\$ _____
10' Radius.....	\$ _____	\$ _____
20' Radius.....	\$ _____	\$ _____
30' Radius.....	\$ _____	\$ _____
40' Radius.....	\$ _____	\$ _____
50' Radius.....	\$ _____	\$ _____

Galvanized Box Beam Railing End Assemblies	Type I	\$ _____	\$ _____
Galvanized Posts, Including Bolts and Hardware:	Type II	\$ _____	\$ _____
6 x 8.5# x 5' 6".....		\$ _____	\$ _____
W6 x 8.5# x 5' 6" w/8 x 24" Soil Plate.....		\$ _____	\$ _____
S3 x 5.7# x 5' 6".....		\$ _____	\$ _____

	(NEW) PRICE EACH	(USED) PRICE EACH
Galvanized Block-Outs:		
W6 x 8.5# x 14" Including bolts and hardware	\$ _____	\$ _____
W6 x 8.5# x 22" Including bolts and hardware	\$ _____	\$ _____
Galvanized Beam Guide Rail Back up Plates.....	\$ _____	\$ _____
Concrete Anchors w/hardware.....	\$ _____	\$ _____
Terminal Sections:.....	\$ _____	\$ _____
Transition Connectors.....	\$ _____	\$ _____

Date: _____

Name of Firm: _____

Signature of Representative: _____
(submitting the bid)

Title of Representative: _____

Address of Firm: _____

Telephone Number: _____

Fax Number: _____

Tax Identification Number: _____

ALLEGANY COUNTY DEPARTMENT OF
PUBLIC WORKS

7 Court Street, Room 210
Belmont, New York 14813
Telephone: 585-268-9230 Fax: 585-268-9648

NON-COLLUSIVE BIDDING CERTIFICATION

By submission of this bid, each bidder and each person on behalf of any bidders certifies, and in the case of a joint bid, each party thereto as to its own organization. Under penalty of perjury, that to the best knowledge and belief:

1. The prices in this bid have arrived independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any manner relating to such prices with any other bidder or with any other bidder or with any competitor;
2. Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not be knowingly be disclosed by the bidder prior to the opening, directly or indirectly, to any other bidder or to any competitor, and;
3. No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.

Name of Bidder

Signature of Bidder

Date

Subscribed and sworn to before me
This _____ day of _____, 20__

NOTARY PUBLIC

NOTE: If bidder is a corporation, the corporate name and title of officer Signing must be stated.